

## Appendix 3B: Field Trial Plans

Collection of plants was as described in Chapter 3.

Wellcamp planting plan. Bold genotypes were collected at 10, 16 and 22 weeks after planting.

	1	2	3	4	5	6	7	8	9	10
<b>Rep I</b>	<b>7. Grimmett</b>	3. Sunco	9. Flagship	8. Hindmarsh	4. CPI133814	<b>5. 2-49</b>	10. Grout	<b>1. Puseas</b>	2. Vasco	<b>6. Bellaroi</b>
	<b>7. Grimmett</b>	3. Sunco	9. Flagship	8. Hindmarsh	4. CPI133814	<b>5. 2-49</b>	10. Grout	<b>1. Puseas</b>	2. Vasco	<b>6. Bellaroi</b>
<b>Rep II</b>	3. Sunco	2. Vasco	4. CPI133814	<b>1. Puseas</b>	<b>7. Grimmett</b>	8. Hindmarsh	9. Flagship	<b>6. Bellaroi</b>	10. Grout	<b>5. 2-49</b>
	3. Sunco	2. Vasco	4. CPI133814	<b>1. Puseas</b>	<b>7. Grimmett</b>	8. Hindmarsh	9. Flagship	<b>6. Bellaroi</b>	10. Grout	<b>5. 2-49</b>

LRC +/- inoculum planting plan.

Planting Plan			Inoculum
2-49	Puseas	Wylie	+
2-49	Puseas	Wylie	-