

On the Capacity and Normalisation of ISI Channels

Wei Xiang[†] and Steven S. Pietrobon^{†‡}

[†] Institute for Telecommunications Research
University of South Australia, SA 5095, Australia
E-mail: wei@spri.levels.unisa.edu.au

[‡] Small World Communications
6 First Avenue, Payneham SA 5070, Australia
E-mail: steven@sworld.com.au

Abstract— We investigate the capacity of various ISI channels with additive white Gaussian noise. Previous papers showed a minimum E_b/N_0 of -4.6 dB, 3 dB below the capacity of a flat channel, is obtained using water pouring capacity formulas for the $1 + D$ channel. However, these papers did not take into account that the channel power gain can be greater than one when water pouring is used. We present a generic power normalisation method of the channel frequency response, namely peak bandwidth normalisation, to facilitate the fair capacity comparison of various ISI channels. Three types of ISI channel, *i.e.*, adder channels, RC channels and magnetic recording channels, are examined. By using our channel power gain normalisation, the capacity curves of these ISI channels are shown.

I. INTRODUCTION

Calculating the capacity of various ISI channels has been an interesting research topic for some time. On the calculation of the channel capacity, the unit energy impulse response normalisation is commonly used. For a flat channel, the transmit power to the receive power ratio is one when using unit energy normalisation (UNE). However, one should realize that the power gain can be greater than one when water pouring formulas are used to calculate the capacity of ISI channels. In [1], a minimum E_b/N_0 below -1.6 dB was shown for the $1 + D$ ISI channel. In fact, it can be shown that the minimum E_b/N_0 is -4.6 dB [2], 3 dB below the capacity of a flat channel. The authors in [1] made the statement that “the ISI channel in this example is normalised with unit energy and thus does not provide any power gain by itself”. This paper did not take into account that the channel power gain can be greater than one for the $1 + D$ ISI channel when using a water pouring spectrum for the transmit power. Similar results were obtained for the $1 - D$ Dicode channel in [3] where capacity was plotted against signal to noise ratio (E_s/N_0).

In this paper, we examine the water pouring capacity and channel normalisation of ISI channels. Since current iterative decoding techniques can approach channel capacity very closely, there is a lot of interest in knowing what the limit is. We are not interested in coding design in this paper. However, as reported in [1], a joint turbo and modulated code can be used to approach the capacities of ISI channels.

When water pouring is used, the transmit power is not flat for a non-flat channel. Significant portions of the transmit power is

concentrated near the peak of the channel frequency response. Since the maximum power gain is different for various ISI channels, we believe that it is not fair to compare the capacity of the unit energy normalised channel when water pouring formulas are used. We present a frequency response normalisation method which is physically meaningful and suitable for generic ISI channels. Compared to unit energy normalisation, our proposed channel normalisation method ensures no particular channel model has a gain over another one.

II. CAPACITY

For a flat additive white Gaussian noise (AWGN) channel, it is well known that the capacity for this channel is

$$C = W \log_2 \left(1 + \frac{S}{N} \right), \quad (1)$$

where C is the capacity in bit/s, W is the bandwidth in Hz and S/N is the signal to noise ratio.

For any channel that has a non-flat frequency response, we can use the water pouring formulas to calculate its capacity. According to the water pouring theorem, the capacity at cost S of a channel with noise spectrum $N(f)$ and input filter $H(f)$ is given in terms of a parameter θ [4]

$$C(S) = \frac{1}{2} \int_{-\infty}^{+\infty} \max \left[0, \log_2 \frac{\theta}{N(f)/|H(f)|^2} \right] df \quad (2)$$

$$S = \int_{-\infty}^{+\infty} \max \left[0, \theta - \frac{N(f)}{|H(f)|^2} \right] df, \quad (3)$$

where $C(S)$ is the capacity in bit/s and S is the transmitted power in Watts. Fig. 1 illustrates the water-pouring formulas. The “water” poured into the shaded area is the transmit power S . Note that $|H(f)|^2$ represents the power gain with frequency for the channel. For an active channel this gain can be greater than one, whereas it is less than one for a passive channel.

The m -tap ISI channel is usually modelled as

$$y(k) = \sum_{i=0}^{m-1} h(i)x(k-i) + n(k), \quad (4)$$

where $x(k)$ is the channel input, $y(k)$ is the channel output, $n(k)$ is AWGN and the ISI channel is normalised using unit energy as $\sum_{i=0}^{m-1} |h(i)|^2 = 1$.




Fig. 1. Water-pouring diagram

For example, the spectrum of the 2-tap 1+D ISI channel is

$$H(f) = \begin{cases} \frac{1}{\sqrt{2}} [1 + e^{-j2\pi fT}] & ; -W \leq f \leq W \\ 0 & ; -W > f > W \end{cases} \quad (5)$$

where T is the symbol period and with perfect Nyquist signaling $2WT = 1$. The AWGN spectrum is $N(f) = N_0/2$ W/Hz. For $|f| \leq W$ we have $|H(f)|^2 = 1 + \cos(\pi f/W)$. The frequency responses of the 3-tap and 4-tap ISI channels are $|H(f)|^2 = ((1 + 2 \cos(\pi f/W))^2)/3$ and $|H(f)|^2 = 2 \cos^2(\pi f/W) + 2 \cos^3(\pi f/W)$, respectively. We plot the frequency responses of these three ISI channels in Fig. 2 with $W = 1$ Hz. Note that the peak of the frequency response is equal to m , the number of tap settings.




Fig. 2. Frequency response of three adder channels.

To determine the integration range for a given θ , we let $\theta = N(w)/|H(w)|^2$, where w are the “bowl” edges. For the 1 + D channel we have the edges at $-w$ and w where

$$\theta = \frac{N_0/2}{1 + \cos(\pi f/w)}, \quad (6)$$

and (2) and (3) can be simplified into

$$C(S) = \frac{1}{2} \int_{-w}^{+w} \log_2 \left[\frac{2\theta(1 + \cos(\pi f))}{N_0} \right] df \quad (7)$$

$$S = 2w\theta - \frac{N_0 W}{\pi} \tan \left(\frac{\pi w}{2W} \right). \quad (8)$$

There is no closed form solution for (7), so numerical integration is used. We have that the energy per bit at capacity is $E_b = S/C(S)$ and normalise W to 1 Hz and N_0 to 1 W/Hz. We plot $C(S)$ versus E_b/N_0 in Fig. 3. Also plotted are the capacities of the 3-tap ISI, 4-tap ISI and flat AWGN channel. Note that the frequency responses of the three ISI channels are normalised with unit energy. As can be seen, the minimum E_b/N_0 for the 1+D channel is -4.6 dB, 3 dB below that of the flat channel of -1.6 dB. It can be shown that the minimum E_b/N_0 using water pouring is $\ln(2)/|H(f_p)|^2$ [2] where f_p is the frequency at which $|H(f_p)|^2$ is maximum. For an m -tap adder channel with unit energy normalisation, this gives a minimum E_b/N_0 of $\ln(2)/m$ when all the taps are equal.




Fig. 3. Capacity of adder channels with unit energy normalisation.

For the 1 + D channel with unit energy normalisation, the maximum output to input power ratio is 2, although the average power gain over the whole frequency is 1. When the transmitter uses a water-pouring spectrum, a significant portion of the power is concentrated near the peak of the impulse response of the ISI channel. For the 1 + D channel, it is the maximum output to input power ratio of 2 that accounts for the 3 dB “gain” in the low-rate Shannon limit, relative to that of the flat channel with the unit energy frequency response.

The problem of conventional unit energy normalisation for ISI channels is that it neglects the fact that the maximum power gain can be greater than one, and thus does not provide a fair capacity comparison for generic ISI channels. As can be shown, the minimum E_b/N_0 of an m -tap channel can be minus infinity when m goes up to infinity. Thus, it is not fair to compare the water-pouring capacity of a 2-tap channel with a maximum power gain of 2 with that of a 3-tap channel with a maximum power gain of 3. Therefore, a more well rounded power normalisation than the unit energy normalisation is needed for the fair comparison of the capacities among generic ISI channels.

III. NORMALISATION

A general communication system is depicted in Fig. 4. The transmit power S_T is

$$S_T = \int_{-\infty}^{+\infty} \max \left[0, \theta - \frac{N(f)}{|H(f)|^2} \right] df, \quad (9)$$




Fig. 4. Block diagram of ISI communications system

The receive power S_R is given by

$$S_R = \int_{-\infty}^{+\infty} \max \left[0, \theta |H(f)|^2 - N(f) \right] df, \quad (10)$$

The channel power gain is defined as S_R/S_T , which is dependent on θ . For an ISI channel using a flat transmit power spectrum, the channel power gain is

$$\frac{S_R}{S_T} = \int_{-\infty}^{+\infty} |H(f)|^2 df, \quad (11)$$

which is usually normalised to one. However, for an ISI channel using water-pouring spectrum S_R/S_T is a function of θ . One should be aware that the channel gain can be greater than one in frequency ranges near the peak of the frequency response. One should therefore look only at S_T as that allows us to determine total transmit power without having to worry about θ .

When dealing with real channels, it is common to normalise the frequency response so that the maximum value is one. Thus, we shall also normalise the power frequency to one. This ensures that the minimum E_b/N_0 is always -1.6 dB.

The question then remains as to what frequency normalisation to use. The technique should be applicable to finite bandwidth schemes such as m-tap ISI channel models and channel models with infinite bandwidths. For many non-flat channels, the “bandwidth” of the channel is usually given at the -3 dB (0.5) edges. We could also normalise the channel such that $\int_{-\infty}^{+\infty} |H(f)|^2 df = 2$. The former is simpler for channels with infinite bandwidths and the latter is simpler for m-tap ISI channels. Since our ultimate aim is to find capacities of real channels, we have chosen the former since it is more realistic. That is, we shall normalise the frequency response such that the -3 dB bandwidth is one Hz. We shall call this peak bandwidth normalisation (PBN).

Given the frequency response of an m-tap ISI channel with unit energy normalisation $|H(f)|^2$, the frequency response with peak bandwidth normalisation $|G(f)|^2$ is

$$|G(f)|^2 = \frac{1}{M} \left| H \left(\frac{f}{n} \right) \right|^2, \quad (12)$$

where M is the maximum value of $|H(f)|^2$ and n is the scaling factor which makes the -3 dB bandwidth of $|G(f)|^2$ one. Normalisation by the maximum value ensures the channel maximum power gain is one. Thus, no particular channel has a gain over another channel in the frequency ranges where the transmit power is concentrated. Fig. 5 shows the frequency responses of the channels in Fig. 2 after applying the proposed peak bandwidth normalisation.

Note that if a flat transmit power spectrum is used we have $S_R/S_T = 1/M$ with peak bandwidth normalisation, where the




Fig. 5. Normalised frequency response of adder channels.

transmit bandwidth is from $-n$ to n Hz. This is not a fair comparison where flat transmit power is used. Thus, when using flat transmit power, the unit energy spectrum should be used to calculate the information rate of the channel. For water pouring though, we believe the peak bandwidth spectrum is a more fair basis of comparison.

IV. NUMERICAL RESULTS

In this section, we present numerical simulation results for the capacities of three types of ISI channels, namely the adder channels, RC channels and magnetic recording channels.

Fig. 6 showed the capacities of the three adder ISI channels, $C(S)$ in bit/s. We have $M = 2, 3$, and 4 and $n = 2, 3.2201$ and 4.3918 for the 2, 3, and 4-tap adder channels.

An important point to note in Fig. 6 is that at high E_b/N_0 the water pouring capacity is greater than the flat channel capacity. This is directly due to the bandwidth expansion of the ISI channels at high E_b/N_0 , even though for the $1 + D$ channel for example, $\int_{-\infty}^{+\infty} |G(f)|^2 df = 2$ is the same as for the flat channel. The transmit power after peak bandwidth normalisation S' is

$$S' = \int_{-\infty}^{+\infty} \max \left[0, \theta - \frac{N(f)}{(1/M)|H(f/n)|^2} \right] df \quad (13)$$

$$= Mn \int_{-\infty}^{+\infty} \max \left[0, \frac{\theta}{M} - \frac{N_0/2}{|H(F)|^2} \right] dF, \quad (14)$$

where $F = f/n$ and $dF = (1/n)df$. The capacity power $C(S')$ after peak bandwidth normalisation is

$$C(S') = \int_{-\infty}^{+\infty} \max \left[0, \log_2 \frac{(\theta/M)|H(f/n)|^2}{N_0/2} \right] df \quad (15)$$

$$= n \int_{-\infty}^{+\infty} \max \left[0, \log_2 \frac{(\theta/M)|H(F)|^2}{N_0/2} \right] dF. \quad (16)$$

Dividing (14) by (16), we have

$$\frac{S'}{C(S')} = M \frac{S}{C(S)}. \quad (17)$$

Therefore, the curves in Fig. 6 are shifted by M to the right from the curves in Fig. 3. However, the capacity $C(S')$ is increased by n . As shown later, when the actual bandwidth efficiency is taken into account, $C(S')/w' = C(S)/w$. That is, the ISI capacity is always below flat channel capacity.




Fig. 6. Capacity in bit/s of adder channels.

The water-pouring capacities plotted in Fig. 3 assume that the bandwidth is equal to W which is normalised to 1 Hz. However, if the transmitter uses the water-pouring spectrum, then we can normalise the capacity with the actual bandwidth used. In Fig. 7, we plot the bandwidth efficiency $C(S)/w$ (bit/s/Hz) where w is the “bowl” edge. For 3-tap and 4-tap channels, the side lobes are not included for high SNR as bandwidth efficiency is reduced due to the large increase in bandwidth. That is, the maximum integration limits were set to -2.1467 to 2.1467 for the 3-tap unit energy channel and -2.1959 to 2.1959 for the 4-tap unit energy channel.




Fig. 7. Bandwidth efficiency in bit/s/Hz of adder channels.

Three types of RC channels were considered in this research, *i.e.*, the $1/(1+f^2)$ channel, the $1/(1+f^4)$ channel and the $1/(1+f^6)$ channel. The impulse responses of these channels are plotted in Fig. 8. Note that the -3 dB bandwidth is normalised to 1 Hz. The RC name comes from the fact that these channels can be modeled by resistor capacitor networks.




Fig. 8. Normalised impulse response of RC channels.

Figs. 9 and 10 show the capacity $C(S)$ in bit/s and the bandwidth efficiency in bit/s/Hz of the RC channels.




Fig. 9. Capacities $C(S)$ in bit/s of RC channels.

For RC channels, as the channel frequency spectrum becomes more square, the capacity approaches that of the flat channel.

Also considered are the Dicode $(1-D)$, PR4 $(1-D^2)$ and EPR4 $(1-D)(1+D^2)$ magnetic recording channel models. The unit energy frequency responses are $|H(f)|^2 = 2(1 - \cos(\pi f/W))$, $2(1 - \cos^2(\pi f/W))$, and $2(1 - \cos(\pi f/W))(1 + \cos^2(\pi f/W))$, respectively. For partial response channels, inputs are confined to the set of $-1, 1$. The input can be spectrally shaped by using precoding. Since water pouring assumes Gaussian inputs, the capacities in this paper are upper bounds to the binary input capacity. In [5], an expectation-maximization method was proposed to find tight lower bounds on the capacities of Markov sources over partial response channels.

Fig. 11 shows the frequency responses of the partial response (PR) channels with unit energy normalisation. Fig. 12 shows these frequency responses with peak bandwidth normalisation. We have $M = 2, 2$ and 2.3704 and $n = 2, 2$ and 2.3901 for the Dicode, PR4, and EPR4 channel models, respectively.

Fig. 13 shows the capacity $C(S)$ in bit/s of the partial re-




Fig. 10. Bandwidth efficiency $C(S)/w$ in bit/s/Hz of RC channels.




Fig. 13. Capacities $C(S)$ in bit/s of PR channels.




Fig. 11. Frequency response of PR channels.




Fig. 12. Normalised frequency response of PR channels.

response channels using UEN. The Dicode and PR4 capacities are the same. However, the EPR4 capacity is quite different. The capacity and bandwidth efficiency of partial response channels using PBN are very similar to Figs. 6 and 7. One can notice both the capacity curves and bandwidth efficiency curves are very close to each other after applying the proposed power

normalisation. We see that UEN gives different capacities for different channel models, whereas PBN gives similar capacities for different channel models. For instance, Dicode, PR4 and EPR4 are three different models of the same physical magnetic recording channel. We believe the three channel models should have similar capacities since they are modelled for the same physical channel. That is, PBN gives us similar capacities for the same physical channel, compared to UEN which can give quite different capacities for channel models of the same physical channel.

V. CONCLUSIONS

The unit energy normalised channel frequency response has an average power gain of one over the whole bandwidth of the channel. That is not a problem when the frequency response is flat or the transmitter uses a flat power spectrum. However, the channel gain can be greater than one when water pouring is used to calculate the channel capacity.

With peak bandwidth normalisation proposed in this paper, the maximum channel power gain is normalised to 1 and the -3 dB (0.5) bandwidth of the channel frequency response is normalised to 1 Hz. Thus when water pouring is performed, no particular ISI channel has a gain over another one. This normalisation can be used as a criterion of fair capacity comparison among generic ISI channels.

ACKNOWLEDGMENTS

The authors would like to thank Dr. Alex Grant and Prof. Paul Siegel for their discussions and comments.

REFERENCES

- [1] Y.-J.A. Zhang and X.-G. Xia, "Joint turbo and modulated code encoding decoding for ISI channels," *IEEE Int. Symp. Inform. Theory*, Washington, DC, USA, p. 266, June 2001.
- [2] S. Verdú, "Spectral efficiency in the wideband regime," *IEEE Trans. Inform. Theory*, vol.48, pp.1319-1343, June 2002.
- [3] P. O. Vontobel and D. M. Arnold, "An upper bound on the capacity of channels with memory and constraint input," *IEEE Inform. Theory Workshop*, pp. 147-149, Cairns, Australia, Sep. 2001.
- [4] R.E. Blahut, "Principles and practice of information theory," *Addison-Wesley*, Reading, Massachusetts, 1987.
- [5] A. Kavcic, "On the capacity of Markov sources over noisy channels," *GLOBECOM 2001*, vol.5, pp. 2997-3001, San Antonio, TX, USA, Nov. 2001.